


# High Bridge Wind Project

Town of Guilford, Chenango County, New York


Figure 21-2: Soil Types

Soil Type:	LaD-Lackawanna channery silt loam, 15 to 25 percent slopes	McC-Mardin and Wellsboro very stony silt loams, 8 to 15 percent slopes	Ud-Udfluvents-Fluvaquents complex, frequently flooded
AsB-Arnot channery silt loam, 3 to 8 percent slopes	LaE-Lackawanna channery silt loam, 25 to 35 percent slopes	MoA-Morris channery silt loam, 0 to 3 percent slopes	VaB-Valois gravelly silt loam, 3 to 8 percent slopes
Cc-Carlisle muck	LoB-Lordstown channery silt loam, 3 to 8 percent slopes	MoB-Morris channery silt loam, 3 to 8 percent slopes	VaC-Valois gravelly silt loam, 8 to 15 percent slopes
ChC-Chenango gravelly silt loam, 8 to 15 percent slopes	LoC-Lordstown channery silt loam, 8 to 15 percent slopes	MoC-Morris channery silt loam, 8 to 15 percent slopes	VoB-Volusia channery silt loam, 3 to 8 percent slopes
CkB-Chenango channery silt loam, fan, 3 to 8 percent slopes	LrE-Lordstown and Oquaga channery silt loams, 15 to 35 percent slopes	OaB-Oquaga channery silt loam, 3 to 8 percent slopes	VoC-Volusia channery silt loam, 8 to 15 percent slopes
Cm-Chippewa and Norwich soils	LrF-Lordstown and Oquaga channery silt loams, 35 to 50 percent slopes	OaC-Oquaga channery silt loam, 8 to 15 percent slopes	VpB-Volusia and Morris channery silt loams, 3 to 10 percent slopes, very stony
Cn-Chippewa and Norwich very stony silt loams	MaB-Mardin channery silt loam, 3 to 8 percent slopes	OIB-Oquaga and Lordstown, very stony silt loams, 3 to 8 percent slopes	W-Water
GrB-Greene silt loam, 3 to 8 percent slopes	MaC-Mardin channery silt loam, 8 to 15 percent slopes	OIC-Oquaga and Lordstown very stony silt loams, 8 to 15 percent slopes	WeB-Wellsboro channery silt loam, 3 to 8 percent slopes
LaB-Lackawanna channery silt loam, 3 to 8 percent slopes	MbE-Mardin and Lackawanna very stony silt loams, 15 to 35 percent slopes	OIE-Oquaga and Lordstown very stony silt loams, 15 to 35 percent slopes	WeC-Wellsboro channery silt loam, 8 to 15 percent slopes
LaC-Lackawanna channery silt loam, 8 to 15 percent slopes	McB-Mardin and Wellsboro very stony silt loams, 3 to 8 percent slopes	Tu-Tuller channery silt loam	



- Wind Turbine
- Permanent Met Tower
- Temporary Met Tower
- Collection Line
- Access Roads
- POI Substation
- O&M Facility
- Collection Substation
- Laydown Area and Batch Plant
- Facility Site
- Town Boundary

- Soil Farmland Classification:
- All areas are prime farmland
  - Farmland of statewide importance
  - Prime farmland if drained
  - Not prime farmland



Sheet 1 of 3

Notes: 1. Basemap: ESRI StreetMap North America, 2008 and Hillshade derived from USGS 2-meter resolution DEM data. 2. This map was generated in ArcMap on August 5, 2019. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data.

# High Bridge Wind Project

Town of Guilford, Chenango County, New York



Figure 21-2: Soil Types

Soil Type:			
AsB-Arnot channery silt loam, 3 to 8 percent slopes	LaD-Lackawanna channery silt loam, 15 to 25 percent slopes	McC-Mardin and Wellsboro very stony silt loams, 8 to 15 percent slopes	Ud-Udfluvents-Fluvaquents complex, frequently flooded
Cc-Carlisle muck	LaE-Lackawanna channery silt loam, 25 to 35 percent slopes	MoA-Morris channery silt loam, 0 to 3 percent slopes	VaB-Valois gravelly silt loam, 3 to 8 percent slopes
ChC-Chenango gravelly silt loam, 8 to 15 percent slopes	LoB-Lordstown channery silt loam, 3 to 8 percent slopes	MoB-Morris channery silt loam, 3 to 8 percent slopes	VaC-Valois gravelly silt loam, 8 to 15 percent slopes
CkB-Chenango channery silt loam, fan, 3 to 8 percent slopes	LoC-Lordstown channery silt loam, 8 to 15 percent slopes	MoC-Morris channery silt loam, 8 to 15 percent slopes	VoB-Volusia channery silt loam, 3 to 8 percent slopes
Cm-Chippewa and Norwich soils	LrE-Lordstown and Oquaga channery silt loams, 15 to 35 percent slopes	OaB-Oquaga channery silt loam, 3 to 8 percent slopes	VoC-Volusia channery silt loam, 8 to 15 percent slopes
Cn-Chippewa and Norwich very stony silt loams	LrF-Lordstown and Oquaga channery silt loams, 35 to 50 percent slopes	OaC-Oquaga channery silt loam, 8 to 15 percent slopes	VpB-Volusia and Morris channery silt loams, 3 to 10 percent slopes, very stony
GrB-Greene silt loam, 3 to 8 percent slopes	MaB-Mardin channery silt loam, 3 to 8 percent slopes	OIB-Oquaga and Lordstown, very stony silt loams, 3 to 8 percent slopes	W-Water
LaB-Lackawanna channery silt loam, 3 to 8 percent slopes	MaC-Mardin channery silt loam, 8 to 15 percent slopes	OIC-Oquaga and Lordstown very stony silt loams, 8 to 15 percent slopes	WeB-Wellsboro channery silt loam, 3 to 8 percent slopes
LaC-Lackawanna channery silt loam, 8 to 15 percent slopes	MbE-Mardin and Lackawanna very stony silt loams, 15 to 35 percent slopes	OIE-Oquaga and Lordstown very stony silt loams, 15 to 35 percent slopes	WeC-Wellsboro channery silt loam, 8 to 15 percent slopes
	McB-Mardin and Wellsboro very stony silt loams, 3 to 8 percent slopes	Tu-Tuller channery silt loam	

- Wind Turbine
- Permanent Met Tower
- Temporary Met Tower
- Collection Line
- Access Roads
- O&M Facility
- Laydown Area and Batch Plant
- Facility Site
- Town Boundary

Soil Farmland Classification:

- All areas are prime farmland
- Farmland of statewide importance
- Prime farmland if drained
- Not prime farmland



Sheet 2 of 3

Notes: 1. Basemap: ESRI StreetMap North America, 2008 and Hillshade derived from USGS 2-meter resolution DEM data. 2. This map was generated in ArcMap on August 5, 2019. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data.



www.edrdpc.com

# High Bridge Wind Project

Town of Guilford, Chenango County, New York



Figure 21-2: Soil Types

Soil Type:			
AsB-Arnot channery silt loam, 3 to 8 percent slopes	LaD-Lackawanna channery silt loam, 15 to 25 percent slopes	McC-Mardin and Wellsboro very stony silt loams, 8 to 15 percent slopes	Ud-Udfluvents-Fluvaquents complex, frequently flooded
Cc-Carlisle muck	LaE-Lackawanna channery silt loam, 25 to 35 percent slopes	MoA-Morris channery silt loam, 0 to 3 percent slopes	VaB-Valois gravelly silt loam, 3 to 8 percent slopes
ChC-Chenango gravelly silt loam, 8 to 15 percent slopes	LoB-Lordstown channery silt loam, 3 to 8 percent slopes	MoB-Morris channery silt loam, 3 to 8 percent slopes	VaC-Valois gravelly silt loam, 8 to 15 percent slopes
CkB-Chenango channery silt loam, fan, 3 to 8 percent slopes	LoC-Lordstown channery silt loam, 8 to 15 percent slopes	MoC-Morris channery silt loam, 8 to 15 percent slopes	VoB-Volusia channery silt loam, 3 to 8 percent slopes
Cm-Chippewa and Norwich soils	LrE-Lordstown and Oquaga channery silt loams, 15 to 35 percent slopes	OaB-Oquaga channery silt loam, 3 to 8 percent slopes	VoC-Volusia channery silt loam, 8 to 15 percent slopes
Cn-Chippewa and Norwich very stony silt loams	LrF-Lordstown and Oquaga channery silt loams, 35 to 50 percent slopes	OaC-Oquaga channery silt loam, 8 to 15 percent slopes	VpB-Volusia and Morris channery silt loams, 3 to 10 percent slopes, very stony
GrB-Greene silt loam, 3 to 8 percent slopes	MaB-Mardin channery silt loam, 3 to 8 percent slopes	OIB-Oquaga and Lordstown, very stony silt loams, 3 to 8 percent slopes	W-Water
LaB-Lackawanna channery silt loam, 3 to 8 percent slopes	MaC-Mardin channery silt loam, 8 to 15 percent slopes	OIC-Oquaga and Lordstown very stony silt loams, 8 to 15 percent slopes	WeB-Wellsboro channery silt loam, 3 to 8 percent slopes
LaC-Lackawanna channery silt loam, 8 to 15 percent slopes	MbE-Mardin and Lackawanna very stony silt loams, 15 to 35 percent slopes	OIE-Oquaga and Lordstown very stony silt loams, 15 to 35 percent slopes	WeC-Wellsboro channery silt loam, 8 to 15 percent slopes
	McB-Mardin and Wellsboro very stony silt loams, 3 to 8 percent slopes	Tu-Tuller channery silt loam	

- Wind Turbine
- Permanent Met Tower
- Temporary Met Tower
- Collection Line
- Access Roads
- O&M Facility
- Laydown Area and Batch Plant
- Facility Site
- Town Boundary

Soil Farmland Classification:

- All areas are prime farmland
- Farmland of statewide importance
- Not prime farmland



Sheet 3 of 3

Notes: 1. Basemap: ESRI StreetMap North America, 2008 and Hillshade derived from USGS 2-meter resolution DEM data. 2. This map was generated in ArcMap on August 5, 2019. 3. This is a color graphic. Reproduction in grayscale may misrepresent the data.

www.edrdpc.com